

01:640:437 HISTORY OF MATHEMATICS



Stoyan Dimitrov

W4: The problems of Diophantus. The paradoxes
of Zeno.

September 26, 2022



Known as the father of modern Algebra!



Known as the father of modern Algebra!

- Little is know for Diophantus except that he lived in Alexandria.
- He introduced symbolism in mathematics! (in Babylon and Egypt all problems were written with words)



Known as the father of modern Algebra!

- Little is know for Diophantus except that he lived in Alexandria.
- He introduced symbolism in mathematics! (in Babylon and Egypt all problems were written with words)
- His symbols were quite different. For instance, $x^3 - 3x^2 + 3x - 1$ was written as:

$$K^Y \alpha \varsigma \gamma \Delta \Delta^Y \gamma \overset{\circ}{M} \alpha$$

Most of Diophantus' problems were with more unknowns than equations!

1. Divide a given square number into two squares. For example, find x^2 and y^2 , such that $x^2 + y^2 = 16$?
 - Diophantus was almost always satisfied with finding one solution of a problem
 - Here is how he got one for this problem: $16 - x^2$ must be a square, so let $16 - x^2 = (ax - 4)^2$, for some integer a (why did he take -4 ?).

2. Find 3 squares with certain ratio between the two differences between the largest and the middle and between the middle and the smallest?

Diophantus assumes the ratio is 3:1 and set the smallest square to x^2 , then takes the middle square to be $(x + 1)^2$. How can we continue?

2. Find 3 squares with certain ratio between the two differences between the largest and the middle and between the middle and the smallest?

Diophantus assumes the ratio is 3:1 and set the smallest square to x^2 , then takes the middle square to be $(x + 1)^2$. How can we continue?

3. To add the same number to a cube and its side and make the first sum the cube of the second.

2. Find 3 squares with certain ratio between the two differences between the largest and the middle and between the middle and the smallest?

Diophantus assumes the ratio is 3:1 and set the smallest square to x^2 , then takes the middle square to be $(x + 1)^2$. How can we continue?

3. To add the same number to a cube and its side and make the first sum the cube of the second.

Actually, he wants to solve $x^3 + y = (x + y)^3$. Diophantus begins by assuming $x = 2y$. Then, he got $19y^2 = 1$, but here he note that 19 is not a square, so he come back!

He sees that $19 = 3^3 - 2^3$, so he needs to replace 2 with some z , such that $(z + 1)^3 - z^3$ is a square. He uses his previous technique (see Problem 2) to find $z = 7$.

Diophantus' only survived work was highly influential:

- It was studied later by Islamic authors.
 - Many of his problems were included in the work "Algebra" by Bombeli in 1572.
 - Even Pierre Fermat studied these problems in the 17th century and proved more general results!
-



- The best known disciple of Parmenides of Elea (450BC)
- Parmenides founded a philosophical movement rival to that of Pythagoreans.



- The best known disciple of Parmenides of Elea (450BC)
- Parmenides founded a philosophical movement rival to that of Pythagoreans.
- Eleatics believed in the unity and permanence of being contrasting the Pythagorean ideas of multiplicity and change!


Zeno challenged the Pythagoreans by proposing several paradoxes. We know about 9 of them today...

Most of the paradoxes are equivalent. We will focus on the most famous paradox about Achilles and the tortois..

Zeno's Paradox

Achilles and the tortoise

When Achilles (A) will reach the position where the tortoise (T) started, the tortoise will have moved further ahead.



Other paradoxes of Zeno are: the Dichotomy paradox, the Arrow paradox, the Stade paradox, etc.

- All of the paradoxes of Zeno are paradoxes of motion.
- These paradoxes have an impact on the development of mathematics even today.
- There are confronting views on whether the paradoxes are resolved or not.
- In these paradoxes, Zeno was the first one to use “proof by contradiction” arguments!